


# LS-P7200

## SERVICE MANUAL

### EXTERNAL VIEW



### SPECIFICATIONS


**Note:**  
KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.

<b>System</b>	4-Way 6-Speaker System
<b>Enclosure</b>	Super Bass Radiator, Floor Standing Type
<b>Loudspeakers</b>	
<b>Woofers</b>	200 mm (8 in) Polypropylene Cone Type
<b>Midrange</b>	110 mm (4-1/2 in) Polypropylene Cone Type
<b>Tweeter</b>	50 mm (2 in) Cone Type x 3
<b>Super Tweeter</b>	30 mm (1-1/4 in) Leaf Type
<b>Super Bass Radiator</b>	300 mm (12 in) Polypropylene Cone Type
<b>Nominal Impedance</b>	8 ohms
<b>Peak Input Power</b>	250 Watts
<b>Sensitivity</b>	90 dB/W at 1 m
<b>Frequency Response</b>	25 Hz to 48,000 Hz
<b>Crossover Frequency</b>	1,200 Hz, 5,000 Hz, 10,000 Hz
<b>Terminals</b>	Push-Lever Type
<b>Dimensions</b>	Width: 370 mm (14-9/16 in) Height: 900 mm (37-7/16 in) Depth: 272 mm (10-11/16 in)
<b>Net Weight</b>	17 kg (37 lbs)
<b>Enclosure Finish</b>	High density particle board laminated with simulated wood grain vinyl.
<b>Accessories</b>	Speaker Wire

# LS-P7200

## SCHEMATIC DIAGRAM

### NETWORK ASS'Y (X21-4970-80)



## PARTS LIST

\* New Parts

Parts without Parts No. are not supplied.

Les articles non mentionnés dans le Parts No. ne sont pas fournis.

Teile ohne Parts No. werden nicht geliefert.

Ref. No.	Address	New Parts	Parts No.	Description	Desti-nation	Re-marks
<b>LS-P7200</b>						
-			A21-1451-02	Dressing panel	Woofer	
-			A21-2090-02	Dressing panel	Midrange	
-		*	B06-0339-03	Grille ass'y		
-			B46-0094-03	Warranty card		U <u>UE</u>
-			B46-0095-03	Warranty card		U
-		*	B61-0153-00	Instruction manual		M
-		*	B61-0154-00	Instruction manual		U <u>UE</u>
-			E30-1003-05	Speaker cord		
-		*	H01-6606-04	Carton box		U <u>UE</u>
-		*	H01-6607-04	Carton box		M
-			H10-3092-04	Polystyrene foamed fixture		
-		*	H12-1823-04	Packing fixture		
-			H21-0971-04	Protection sheet		
-			H25-0944-04	Protection bag		U
-			J19-2364-04	Grille holder		
-			J19-2454-03	Dressing plate (Super bass radiator)		
-			N44-4020-45	Tapping screw		
-			N46-4016-45	Tapping screw		
-			N62-3116-45	Wood screw		
SP1			T03-0310-05	Super tweeter		
SP2		*	T03-0311-05	Tweeter		
SP3			T06-0242-05	Midrange		
-			X19-1050-10	Super bass radiator		
SP4			X22-1910-10	Woofer		
-		*	X21-4970-80	Network ass'y		
<b>NETWORK ASS'Y (X21-4970-80)</b>						
C1			C90-1098-05	NP-electro	2.7μF	100WV
C2			C90-1099-05	NP-electro	3.3μF	100WV
C3			C90-1106-05	NP-electro	12μF	100WV
-			E29-0705-05	Terminal board		
L1, 2			L38-0201-05	Coil	0.22mH	
L3			L38-0322-05	Coil	1.2mH	
L4			L38-0305-05	Coil	1.5mH	
-			N50-3008-45	Tapping screw		
R1			RS14GB3H1R5JMA	FL-proof RS	1.5Ω J 5W	
BR			W02-0165-05	Circuit protector	2.0A	

E : Scandinavia & Europe

U : PX (Far East, Hawaii)

UE : AAFES (Europe)

K : USA

T : England

X : Australia


P : Canada

M : Other Areas

Δ indicates safety critical components.

# LS-P7200

## PACKING



## KENWOOD CORPORATION

Shionogi Shibuya Building, 17-5, 2-chome Shibuya, Shibuya-ku, Tokyo 150, Japan

KENWOOD U.S.A. CORPORATION  
CONSUMER ELECTRONICS GROUP

P.O. BOX 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745, U.S.A.

KENWOOD ELECTRONICS CANADA INC.

P.O. BOX 1075, 959 Gana Court, Mississauga, Ontario, Canada L4T 4C2

TRIO-KENWOOD U.K. LIMITED

17 Bristol Road, The Metropolitan Centre, Greenford, Middx. UB6 8UP England

KENWOOD ELECTRONICS BENELUX N.V.

Mechelsesteenweg 418 B-1930 Zaventem, Belgium

KENWOOD ELECTRONICS DEUTSCHLAND GMBH

Rembrücker-Str. 15, 6056 Heusenstamm, West Germany

TRIO-KENWOOD FRANCE S.A.

13 Boulevard Ney, 75018 Paris, France

KENWOOD LINEAR S.p.A.

20125, MILANO-VIA ARBE, 50, ITALY

KENWOOD ELECTRONICS AUSTRALIA PTY. LTD. (INCORPORATED IN NSW)

4E Woodcock Place, Lane Cove, N.S.W. 2066, Australia

KENWOOD & LEE ELECTRONICS, LTD.

Wang Kee Building, 4th Floor, 34-37, Connaught Road, Central, Hong Kong